

# Esri License Manager (old check)

## Add a New Monitoring Point ✕

**Select Type**

Esri License Manager ▼

Monitor Name

Monitor Description

---

License Manager Name

License Manager Port#

License Type

Warning Number

Web Page Path

Create Monitor Point

**This is the OLD license manager check. It is suggested to use the NEW [License Manager Module](#) g**

The Esri® License Manager monitoring point queries a License Manager (located on the same network as it is running and issues an alert when the number of licenses being used approaches (or exceeds) the num

Optionally, this check can create a web page that is refreshed each time the check is run which can be use audience on who is using which licenses or extensions.

**Note:** For this check to function correctly, the LMutil.exe file must be copied from the current Esri® Licen GeoSystems Monitor server. Most any version of LMutil.exe will work.

**Example** - From: 'C:\\Program Files (x86)\\ArcGIS\\License10.2\\bin' (on the License Manager server)

To: 'C:\\Program Files (x86)\\GeoSystemsMonitor\\scripts' (on the GeoSystems Monitor server)

The parameters that are unique to the Esri® License Manager include:

License Manager Name	Name of the Esri® License Manager server to check
License Manager Port #	Port number that the Esri® License Manager runs on
	<b>Note:</b> Default License manager port value is 27000

A license/extension can be checked in one of two ways:

1. By entering 'All' in the License Type parameter field. A value of "All Desktop Advanced, Standard or Basic licenses.

**Note:** Only the information for the Info license type will be graphed; however, the information is sent for the Info, Edit, and View Desktop licenses in accordance with the de Warning Number.

2. By entering an individual License Type. Multiple points can be configured for individual License / Extension Types and graph each one individually to show historical usage for selected individual license types.

**Note:** As a general rule, when checking extensions the user will want to select them individually.

The following are valid entries for the License Type parameter:

#### Desktop Licenses

All

Info or Advanced

Edit or Standard

View or Basic

In addition, the following parameters can be entered in the License Type field:

**FindPort** - Will help find the port used by the license manager. Uses the 'Port' as the starting point, normally 27000, and incrementally checks upward several ports.

**Debug** - When entered in the 'License Type', creates a log entry for the CO of the lmutil query. Good for troubleshooting issues with licenses and types.

Information for AutoCAD licenses and for licenses associated with FlexNet Publisher.

For AutoCAD, enter: ACAD::

Example: ACAD::<85830CIV3D\_2012\_0F

If a web page only is desired, enter ACAD:: in the License type and the web page created with this check is called ACADLicense.html.

For FlexNet Publisher enter: FME::FmeLicenseType or OTHER::GenericLicenseType

These web pages will be called FMELicense.html or OTHERLicense.html

#### Extensions

ACT - Users of ACT

ARCSTORM - Users of ArcStorm

ARCSTORMENABLE - Users of ArcStormEnable

CITYENGADV - Users of CityEngAdv

DATAVIEWER - Users of DataReviewer

GEOSTATS - Users of GeoStats  
 GEOSTATISTICAL - Users of GeoStats  
 GRID - Users of Grid  
 SPATIAL - Users of Grid  
 INTEROP - Users of Interop  
 DATA - Users of Interop  
 DATAINTEROPERABILITY - Users of Interop  
 JTX - Users of JTX  
 MRSID - Users of MrSID  
 NETWORK - Users of Network  
 PLOTTING - Users of Plotting  
 PUBLISHER - Users of Publisher  
 SCHEMATICS - Users of Schematics  
 TIFFLZW - Users of TIFFLZW  
 TIN - Users of TIN  
 3D - Users of TIN  
 TRACKING - Users of Tracking  
 VBA - Users of VBA

Warning Number	The number of licenses / extensions remaining at which the GeoSystems M... an alert  <b>Note:</b> <i>The default Warning Number value is zero (0).</i>
Web Page Path	(Optional) When entered, this parameter creates a Web page (arcgislicense... license/extension information to this path.  <b>For example:</b> <i>c:\\inetpub\\wwwroot</i>

When the **Web page Path** parameter is populated, the GeoSystems Monitor creates a web page (**arcgisli**) displays who is using what license and extension type.



**ArcGIS License Manager: VESHQCVS**

**Updated: Fri Oct 10 11:48:47 2014**

Users of ARC/INFO: (Total of 11 licenses issued, Total of 5 licenses in use) Advanced			45% Utilization
User	Computer	Time	
als	VES_HQ_ALS	start Fri 10/10 10:50	
chf	VTRAINW2	start Fri 10/10 11:45	
dpl	VTRAINW2	start Thu 10/9 15:38	
jlb	VES_HQ_JLB	start Fri 10/10 8:20	
mab	VES_HQ_MAB	start Thu 10/9 17:31	

The webpage header can be modified using the following files, located in the 'scripts' folder.

- licenseTemplate.html - The top of this can be changed for individual Client information if needed.
- logo.gif - A Client logo can be put in place of this file to display in the Web page.

The web page can be created whether or not other license or extension checks are in place. If the web application needs to be refreshed more often than the license or extensions need to be checked, create a point with only the 'Web Page Path' parameter and have it run more often (for example every two minutes).

The web page path can be on the local GeoSystems Monitor server, either under IIS or a UNC path to another server.

- Ex. 1. C:\inetpub\wwwroot\LicenseManager
- Ex. 2. \\RemoteServer\RemoteServerShare
  - When entering a UNC path, make sure the GeoMonEngine service can write to that location.

**Note:** This parameter should be entered in only ONE point check, in order to avoid a web page writing over itself unnecessarily

---

Article ID: 287

Last updated: 17 Aug, 2018

Revision: 14

GeoSystems Monitor Enterprise -> Product Guide v4.0 -> Monitor Point Types & Parameters -> Esri License Manager (old check)

<http://www.vestra-docs.com/index.php?View=entry&EntryID=287>