

# AGS Secure Geocode Service URL

Add a New Monitoring Point

Select Type

AGS GeoCode Service URL

Monitor Name

Monitor Description

Server Name

Service Name

URL-Complete

Create Monitor Point

The AGS Secure Geocode Service URL monitoring point checks a Secure ArcGIS Server Geocode service to see if it returns an x,y location for a valid address.

The parameters that are unique to the AGS Secure Geocode Service URL include:

Server Name	DNS name of server where AGS Geocode service is located
Service Name	Name of the geocode service on an ArcGIS Server. If service is under a folder, folder/service is needed.
userID	ArcGIS Server Admin user ID using either Windows or ArcGIS Server Security
UserPW	ArcGIS Server Admin user password
URL-Complete	This parameter can be retrieved from using Arc Map, or better, the REST interface service and entering the parameters to test. Copy the parameters from the 'URL' address bar of the Browser.

For non-secured AGS Geocode Service URLs, refer to the [AGS Geocode Service URL](#) monitoring point script.

Retrieving the URL-Complete parameter from the REST service is a several step process.

**Step 1.1:** Open your Internet browser and enter the URL for your ArcGIS® Rest Services

**Example:**

http://YourServerName/ArcGIS/Rest/Services

**Step 1.2:** Select a Geocoding Service from your list of services

**Folder: /****Current Version:** 9.31**View Footprints In:** [Google Earth](#)**Folders:**• **Your Folders****Services:**

**Step 1.3:** In the bottom left of the browser screen, locate **"Supported Operations"**

Click on **[Find Address Candidates]**

**Supported Interfaces:** [REST](#) [SOAP](#)

**Supported Operations:** [Find Address Candidates](#)

**Step 1.4:** Enter a valid address in the **Address** field

*Note: Your GeoCoder form view may vary from the image at the right depending on the Locator style*

Find Address Candidates:	
Address:	<input type="text" value="123 Main Street"/>
Zone:	<input type="text"/>
Return Fields (Comma Separated):	<input type="text"/>
Format:	<input type="text" value="JSON"/>
<input type="button" value="Find"/>	

**Step 1.5:** Select **JSON** from the **Format** drop down box

**Find Address Candidates:**

Address:

Zone:

Return Fields (Comma Separated):

Format:

**Step 1.6:** Click on **[Find]**

**Find Address Candidates:**

Address:

Zone:

Return Fields (Comma Separated):

Format:

**Step 1.7:** Verify that valid data is returned

*Note: If the data is not valid, the browser will display an empty page without an x, y coordinate. If this happens, locate a valid address and return to Step 1.4.*

```
{
  "candidates" : [
    {
      "address" : "123 Main Street",
      "location" : {
        "x" : 6022726.86,
        "y" : 2165763.09
      },
      "score" : 37,
      "attributes" : {
      }
    },
    {
      "address" : "123 Main Street",
      "location" : {

```

**Step 1.8:** Copy the entire URL in the browser address bar

#### Example Complete URL

http://ServerName/ArcGIS/rest/services/CompositeLocator/GeocodeServer/findAddressCandidates?Address=123 Main Street&Zone=&outFields=&f=pjson

**Step 2:** Paste the complete URL into the URL-Complete field provided

**Step 3:** Click the **[Create Monitor Point]** button

---

Article ID: 435

Last updated: 30 Dec, 2019

Revision: 2

GeoSystems Monitor Enterprise -> Product Guide v4.1 - 4.2 -> Monitor Point Types & Parameters -> AGS Secure  
Geocode Service URL

<http://www.vestra-docs.com/index.php?View=entry&EntryID=435>